

Qualifying Gas Fireplace Models

Residential and Existing Multifamily
Effective July 1, 2018



\$250 for fireplace efficiency, FE*, rating of 75 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE
Archgard	41-DVTE36LN-1	75.64
Archgard	36-DVIE40LN-1	76.95
Empire	DVCT35IN	75
Empire	DVCT35CBN95	75
Empire	DVCP36SP70	75.2
Empire	DVCP36PP70	75.2
Empire	DVCT30CBN95	75.8
Heat & Glo	TIARAI-BK-IPI	76
Heat & Glo	TIARAI-BR-IPI	76
Heat & Glo	TIARAI-CES-IPI	76
Heat & Glo	COSMO-I30-C	77.2
Jøtul	GF500DVIPI	75.41
Kozy Heat	BAY-41-G	76.16
Kozy Heat	SFD-36	77.5
Leo	LEO100	77.21
Leo	LEO100L	77.98
Mendota	FV42	75.46
Mendota	DXV35DT4-LX	75.63
Mendota	DXV35DT4	75.63
Mendota	FV34	76.15
Mendota	FV41-ARCH	76.19
Mendota	ML39	76.2
Mendota	DXV45DT4	76.22
Mendota	DXV45DT4-LX	76.22
Mendota	FV44I	76.46
Mendota	FV41-DECOR	78.29
Montigo	34FID-L-N-F	77.4
Montigo	30FID-L-N-F	77.6
Montigo	30FID-S-N-F	78.8
Ortal	MINIMAL130TUNNEL	77.6
Ortal	CLEAR75X65H	77.6
Ortal	CLEAR75X65HTUNNEL	77.6

Manufacturer	Model	FE
Ortal	TRADITIONAL90	77.6
Ortal	TRADITIONAL110	77.6
Ortal	SPACECREATOR75	77.6
Ortal	CLEAR75	77.6
Ortal	CLEAR75LS	77.6
Ortal	CLEAR75RS	77.6
Ortal	CLEAR75TS	77.6
Ortal	STANDALONE75	77.6
Ortal	STANDALONE75TS	77.6
Ortal	STANDALONE75X65TUNNEL	77.6
Ortal	CLASSICF70	77.6
Ortal	CLASSICF80	77.6
Ortal	4GLASS,ISLAND75	77.6
Ortal	CLEAR80	77.6
Ortal	CLEAR80LS	77.6
Ortal	CLEAR80TS	77.6
Ortal	CLEAR80H70	77.6
Ortal	CLEAR80H70LS	77.6
Ortal	CLEAR80H70RS	77.6
Ortal	CLEAR80H70TS	77.6
Ortal	CLEAR75H	77.6
Ortal	CLEAR75HLS	77.6
Ortal	CLEAR75HRS	77.6
Ortal	CLEAR75HTS	77.6
Ortal	STANDALONE70TS	77.6
Ortal	CLEAR75X65	77.6
Ortal	CLEAR75X65TUNNEL	77.6
Ortal	STANDALONE75X65CURVE	77.6
Ortal	STANDALONE75X65CURVET	77.6
Ortal	CLEAR60X80	77.6
Ortal	CLEAR60X80TUNNEL	77.6
Ortal	CLEAR70	77.6

If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

*Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

Qualifying Gas Fireplace Models

Residential and Existing Multifamily
Effective July 1, 2018



\$250 for fireplace efficiency, FE*, rating of 75 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE
Ortal	CLEAR70LS	77.6
Ortal	CLEAR70RS	77.6
Ortal	CLEAR70TS	77.6
Ortal	STANDALONE70	77.6
Ortal	MINIMAL130	77.6
Ortal	MINIMAL110TUNNEL	77.6
Ortal	MINIMAL110	77.6
Ortal	MINIMAL60X80TUNNEL	77.6
Ortal	MINIMAL60X80	77.6
Ortal	MINIMAL75	77.6
Ortal	CLEAR80RS	77.6
Ortal	CLASSICCORNER	79.5
Ortal	STANDALONE40TS	80.5
Ortal	CLEAR40HTUNNEL	80.5
Ortal	CLEAR40H70LS	80.5
Ortal	CLEAR40H70RS	80.5
Ortal	CLEAR40H70TS	80.5
Ortal	CLEAR40H70TUNNEL	80.5
Ortal	CLEAR40H90	80.5
Ortal	CLEAR40H90LS	80.5
Ortal	CLEAR40H90RS	80.5
Ortal	CLEAR40H90TS	80.5
Ortal	CLEAR40H90TUNNEL	80.5
Ortal	SMALLSQUARE	80.5
Ortal	CLASSICMODERN	80.5
Ortal	CLEAR40	80.5
Ortal	CLEAR40LS	80.5
Ortal	CLEAR40RS	80.5
Ortal	CLEAR40TS	80.5
Ortal	CLEAR40TUNNEL	80.5
Ortal	STANDALONE40	80.5
Ortal	CLEAR40H	80.5

Manufacturer	Model	FE
Ortal	CLEAR40HLS	80.5
Ortal	CLEAR40HRS	80.5
Ortal	CLEAR40HTS	80.5
Ortal	CLEAR40H70	80.5
Ortal	CLEAR130TS	81.1
Ortal	CLEAR140TUNNEL	81.1
Ortal	CLEAR130LS	81.1
Ortal	CLEAR130	81.1
Ortal	CLEAR110H	81.1
Ortal	STANDALONE110	81.1
Ortal	CLEAR110TUNNEL	81.1
Ortal	CLEAR110TS	81.1
Ortal	CLEAR110RS	81.1
Ortal	CLEAR110LS	81.1
Ortal	CLEAR110	81.1
Ortal	SPACECREATOR120MIDI	81.1
Ortal	SPACECREATOR120MINI	81.1
Ortal	CLEAR130TOP	81.1
Ortal	CLEAR110HTUNNEL	81.1
Ortal	4GLASS,ISLAND130	81.1
Ortal	CLEAR110HRS	81.1
Ortal	SPACECREATOR120	81.1
Ortal	STANDALONE110TS	81.1
Ortal	CLEAR130TUNNEL	81.1
Ortal	SPACECREATOR120H	81.1
Ortal	CLEAR110HLS	81.1
Ortal	CLEAR110HTS	81.1
Ortal	CLEAR130H	81.1
Ortal	STANDALONE130	81.1
Ortal	CLEAR130HLS	81.1
Ortal	CLEAR130HRS	81.1
Ortal	CLEAR130HTS	81.1

If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

*Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

Qualifying Gas Fireplace Models

Residential and Existing Multifamily
Effective July 1, 2018



\$250 for fireplace efficiency, FE*, rating of 75 percent or greater with electronic pilot light ignition.

Manufacturer	Model	FE
Ortal	CLEAR140	81.1
Ortal	CLEAR140LS	81.1
Ortal	CLEAR140RS	81.1
Ortal	CLEAR140TS	81.1
Ortal	CLEAR130RS	81.1
Ortal	SPACECREATOR150	81.7
Ortal	CLEAR170TUNNEL	81.7
Ortal	CLEAR170TS	81.7
Ortal	CLEAR170RS	81.7
Ortal	CLEAR170LS	81.7
Ortal	CLEAR170	81.7
Ortal	STANDALONE150	81.7
Ortal	CLEAR150TUNNEL	81.7
Ortal	CLEAR150TS	81.7
Ortal	CLEAR150RS	81.7
Ortal	CLEAR150LS	81.7
Ortal	CLEAR150	81.7
Ortal	CLEAR170HTS	81.7
Ortal	CLEAR170HRS	81.7
Ortal	CLEAR170HLS	81.7
Ortal	CLEAR170H	81.7
Ortal	CLEAR150HTS	81.7
Ortal	CLEAR150HRS	81.7
Ortal	CLEAR150HLS	81.7
Ortal	SPACECREATOR150H	81.7
Ortal	CLEAR150H	81.7
Ortal	CLEAR150HTUNNEL	81.7
Ortal	CLEAR90	82.2
Ortal	CLEAR90RS	82.2
Ortal	CLEAR90LS	82.2
Ortal	CLEAR90TS	82.2
Ortal	CLEAR90HTUNNEL	82.2

Manufacturer	Model	FE
Ortal	CLEAR90H	82.2
Ortal	CLEAR90HRS	82.2
Ortal	CLEAR90HLS	82.2
Ortal	CLEAR90TUNNEL	82.2
Pacific Energy	TOFINOI40S	77.6
Quadra-Fire	SAPH-D-MBK-IPI	76
Quadra-Fire	SAPH-MBK-IPI	76
Quadra-Fire	SAPH-D-PMH-IPI	76
Quadra-Fire	SAPH-D-CSB-IPI	76
Travis Industries	RADIANTPLUSMEDGSB2	75.11
Travis Industries	RADIANTPLUSSMALLGSB2	75.15
Travis Industries	RADIANTPLUSLARGEGB2	75.17
Travis Industries	DVLGSR2	75.21
Travis Industries	33DVIGS2	75.41
Travis Industries	31DVIGS2	75.48
Travis Industries	DVSGSR2	76.17

If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

*Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

Qualifying Gas Fireplace Models

Residential and Existing Multifamily
Effective July 1, 2018



\$150 for fireplace efficiency, FE*, rating of 70-74.9 percent with electronic pilot light ignition.

Manufacturer	Model	FE
Ambiance	UF0610	71.93
Ambiance	UF0600	71.93
Archgard	37-DVTE30LN-1	70.21
Element 4	20(185SERIES)	71.33
Element 4	20	71.33
Element 4	14	74.42
Element 4	14(240SERIES)	74.42
Empire	DVC20IN71	70.1
Empire	DVCT40CFP95	70.7
Empire	DVC26IN71	70.9
Empire	DV33IN73L	71.6
Empire	DV33IN73LN	71.6
Empire	DVL33IN73	71.8
Empire	DVLL60BP90	72.6
Empire	DVC28IN71	73.4
Empire	DVCT36CFP95	74.8
Enviro	E33GI	71.13
Enviro	E33I	71.13
Enviro	E30GI	71.4
Enviro	E30I	71.4
Enviro	EX35	74.11
Enviro	S20I	74.45
Enviro	Q1GI	74.45
Enviro	S30I	74.45
Enviro	Q1LI	74.45
Enviro	Q1CI	74.45
Enviro	EX32	74.97
Hampton	H35-NG10	70.86
HearthStone	STOWE8323	73.84
Heat & Glo	ESCAPE-I30-F	70.7
Heat & Glo	PALOMA-BK-MOD	71
Heat & Glo	PALOMA-GY-MOD	71
Heat & Glo	PALOMA-BZ-MOD	71
Heat & Glo	GRAND-I35-C	72.2

Manufacturer	Model	FE
Heat & Glo	SUPREME-I30-C	72.7
Heat & Glo	COSMO-I35-C	72.9
Heat & Glo	ESCAPE-I35-F	72.9
Heatilator	NDI35-C	72.2
Heatilator	NDI30-C	72.7
Innovative Hearth Products	DRI2027TEN	73
Innovative Hearth Products	BELLEVUE27	73
Jøtul	GF370DVII	70.53
Kingsman Fireplaces	HBZDV4228NE	70.16
Kingsman Fireplaces	VRB46NE	70.65
Kozy Heat	JOR-34S	70.11
Kozy Heat	CAR-46	70.74
Kozy Heat	CSK-25	71.44
Kozy Heat	OAK-18-LE	71.71
Kozy Heat	SLA-42S	72.21
Kozy Heat	CSK-29-R	72.27
Kozy Heat	CSK-29-L	72.27
Kozy Heat	CSK-34-L	73.22
Kozy Heat	CSK-34-G	73.22
Kozy Heat	CSK-34-R	73.22
Kozy Heat	SLA-60	73.31
Kozy Heat	CLW-50	73.49
Kozy Heat	ALP-36S	73.81
Kozy Heat	DEL-36S	73.96
Kozy Heat	SP-41-LE	74.05
Kozy Heat	SP-41-L	74.05
Kozy Heat	SP-34-LE	74.57
Leo	LEO200LP	73.63
Leo	LEO200	73.97
Majestic	MDVI30IN	70
Majestic	MDVI35IN	72
Nolafire	NF30	71.4
Nolafire	NF30GI	71.4

If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

*Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method

Qualifying Gas Fireplace Models

Residential and Existing Multifamily
Effective July 1, 2018



\$150 for fireplace efficiency, FE*, rating of 70-74.9 percent with electronic pilot light ignition.

Manufacturer	Model	FE
Ortal	CLEAR200HRS	73.8
Ortal	CLEAR250HRS	73.8
Ortal	CLEAR250HTS	73.8
Ortal	CLEAR250HTUNNEL	73.8
Ortal	CLEAR200LS	73.8
Ortal	CLEAR200RS	73.8
Ortal	CLEAR200TS	73.8
Ortal	CLEAR200TUNNEL	73.8
Ortal	SPACECREATOR200	73.8
Ortal	CLEAR250	73.8
Ortal	CLEAR250LS	73.8
Ortal	CLEAR250RS	73.8
Ortal	CLEAR250TS	73.8
Ortal	CLEAR200HLS	73.8
Ortal	SPACECREATOR200H	73.8
Ortal	CLEAR200HTUNNEL	73.8
Ortal	CLEAR200HTS	73.8
Ortal	CLEAR250HLS	73.8
Ortal	CLEAR250TUNNEL	73.8
Ortal	CLEAR250H	73.8
Ortal	CLEAR200H	73.8
Pacific Energy	MIRAGE18	70.9
Pacific Energy	G958	70.9
Pacific Energy	TOFINOI20M	71.8
Pacific Energy	ESPRIT	72.1
Pacific Energy	GMIR.BODYA	72.5
Pacific Energy	TOFINOI20S	72.8
Pacific Energy	TOFINOI30M	72.9
Pacific Energy	TOFINOI30S	74.1
Pacific Energy	TRENTON	74.4
Pacific Energy	TOFINOI40M	74.4
Quadra-Fire	QFI30FB-C	70.7
Quadra-Fire	PALOMA-MOD	70.8
Quadra-Fire	QFI35-C	72.2

Manufacturer	Model	FE
Quadra-Fire	QFI30-C	72.7
Quadra-Fire	QFI35FB-C	72.9
Regency	LRI4E-NG	70.27
Regency	HRI4E-NG	70.27
Regency	LRI6E-NG	70.37
Regency	HRI6E-NG	70.37
Regency Fireplace	HRI6E-NG	70.37
Regency Fireplace	LRI6E-NG	70.37
RHPeterson CO.	DVI-30I-11-33N	71.13
RHPeterson CO.	DVI-36I-11-33N	71.45
Savannah	WESTWOOD	72.38
Travis Industries	430GSR2	70.11
Travis Industries	616DFGSR2	70.12
Travis Industries	CYPRESSGS2	70.37
Travis Industries	564SSGS2CF	70.46
Travis Industries	564SSGS2	70.46
Travis Industries	GREENFIELDGS2	70.55
Travis Industries	BERKSHIREGS2	70.82
Travis Industries	616GSR2	70.92
Travis Industries	864TRVGS2	71.48
Travis Industries	864TRVGS2CF	71.48
Travis Industries	4415HOSTGSR2	71.5
Travis Industries	864HOGSR2	73.61
Travis Industries	864STGS2	74.55
True North	TN24	74.4
Valor	MF28JN	70
Valor	1100JN	70
Valor	785KLN	70
Valor	780KN	70.02
Valor	785YN	70.02
Valor	700JN	70.03
Valor	RF24JDN-CA	70.03
Valor	530IN	70.2
Valor	739MN	70.3

If your model is not listed but meets the appropriate FE and pilot light requirements, it may qualify for an Energy Trust incentive. If you have questions about model eligibility, please contact us at residential@energytrust.org for single family homes, and multifamily@energytrust.org for duplex, triplex, fourplex, townhome or side-by-side buildings.

*Fireplace efficiency, FE, is a measure of a fireplace's energy efficiency performance over an entire heating season and is expressed as a percentage. The higher the rating, the more efficient the unit. Fireplace Efficiency rating is based on the Canadian Standards Association or CSA-P.4 method