

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



Incentives for Energy Efficient Lighting (Effective January 21, 2020)

Energy Trust offers cash incentives to help you implement qualifying energy efficient lighting measures in eligible existing buildings. If you are interested in applying for incentives listed, contact us using the information located at the bottom of the page.

To apply for lighting incentives, projects must (1) be submitted to Energy Trust for review and pre-qualification before any equipment purchase or installation activity begins; and (2) be pre-qualified for at least \$100 in incentive funding.

It is important that you contact us for a project review before making purchases or taking other steps that may cause your project to be ineligible for incentives. Additional requirements apply. Program details, including incentives, are subject to change and budget availability. To learn more about Energy Trust's available offers and incentives, visit our website at www.energytrust.org.

Lighting Project Specifications & Requirements

The following qualified product lists provide technical specifications for certain lighting products. Not all products listed qualify for Energy Trust incentives. To qualify for incentives, products must be new and measure installations must also pass Energy Trust cost-effectiveness criteria and meet other program requirements. Contact us for details.

- Proposed LED products must be on the appropriate Qualified Product List (QPL), as indicated below, and under the appropriate categorization to be eligible for incentives:
 - QPL for LED fixtures (except recessed canister downlights) and some LED retrofit lamps - Design Lights Consortium (DLC): www.designlights.org/QPL
 - QPL for LED recessed canister downlights & other (Certified Light Fixtures) – ENERGY STAR®: www.energystar.gov/productfinder/product/certified-light-fixtures/
 - QPL for LED lamps (Certified Light Bulbs)– ENERGY STAR®: www.energystar.gov/productfinder/product/certified-light-bulbs/
- Certain products with additional sizes or attributes outside of the QPL categories or specifications above may also qualify, contact us with questions.
- References to "lighting tool" below means Energy Trust's Commercial & Industrial Lighting Tool.

The following requirements apply to lighting projects:

- Energy Trust may require access to perform an on-site review of any project seeking Energy Trust incentives at any point during the project cycle in order to verify incentive eligibility.
- Ballasts and drivers must be compatible with proposed lamps.
- Lighting measures may be reviewed in relation to Illuminating Engineering Society (IES) recommendations for minimum light levels and appropriate ratios for the customer's space type and functions. If light levels appear to meet minimum IES recommendations and the specified lighting wattages exceed the measure specifications listed below, then any decision as to whether a specified measure qualifies for prescriptive or custom incentives rests solely with Energy Trust.
- TLED:
 - Installer must verify the conditions of existing lamp sockets and replace damaged, corroded, and/or cracked lamp sockets.
 - External Driver TLED (TYPE C) versions: labeling is recommended to indicate the fixture has been retrofitted with a TLED and fluorescent lamps should not be installed as replacements.
 - Internal Driver TLED (TYPE A, B, and A/B) versions: label must be affixed in a prominent location on the interior of the fixture in compliance with UL requirements. The label must indicate the fixture has been retrofitted with TLED and fluorescent lamps should not be installed as replacements.
- Lighting measure installations that do not meet industry standards or other Energy Trust program requirements, as determined solely by Energy Trust, will not qualify for incentives. Final determination of eligibility for Energy Trust incentives rests with Energy Trust.
- Except for the prescriptive (non-custom) controls measures identified in Section 9, the maximum incentive provided by Energy Trust for any prescriptive measure will never exceed 50% of the total eligible measure cost. The maximum incentive for the prescriptive (non-custom) controls measures listed in Section 9 will never exceed 100% of the total eligible measure cost.
- All proposed industrial horticultural grow operation project applicants must contact the program for detailed program requirements and eligibility review.
- Qualifying products in lighting measure installations must be new; used equipment is not be eligible for Energy Trust incentives.

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



Section 1	Custom Lighting Controls and Lighting Upgrades
------------------	---

If you are considering a lighting retrofit or upgrade project and do not see your equipment listed on this information sheet identifying available prescriptive incentives, contact us to discuss whether your project (including lighting controls) may qualify for custom incentives from Energy Trust. **To be eligible for custom incentives, proposed custom lighting measures must be reviewed and pre-qualified in advance by Energy Trust and must also pass a custom cost-effectiveness analysis.**

- The maximum incentives provided by Energy Trust for any qualifying custom lighting measure are listed in this **Section 1** and will not exceed 50% of total eligible measure cost or Energy Trust's established maximum incentive caps for projects.
- Incentives for qualifying custom lighting controls measures will be calculated at a maximum of 50% total eligible measure cost not to exceed 25¢/annual kWh saved.
- Incentives for qualifying custom lighting measures used for industrial horticultural grow operations will be calculated at a maximum of 50% total eligible measure cost not to exceed 25¢/annual kWh saved.
- All qualifying lighting and lighting controls measures used for industrial horticultural grow operations, including qualifying linear fluorescent and TLED measures used in industrial horticultural grow operations will be calculated using the custom incentive application, as required by Energy Trust.
- Incentives for all other qualifying custom lighting measures will be calculated at a maximum of 50% of total eligible measure costs not to exceed 19¢/annual kWh saved.

Custom incentives are not available for certain proposed technologies such as manual controls, TLED, linear fluorescent, compact fluorescent (CFL), CFL to LED retrofit lamps, HID to LED retrofit lamps, mercury vapor, incandescent, fluorescent induction, high pressure sodium (HPS), or metal halide (MH), unless specifically noted otherwise.

Section 2	LED Lamps replacing screw-in incandescent or screw-in CFL, unless noted.
------------------	---

Example application: Replace incandescent track head PAR lamp with screw-base LED replacement PAR lamp


Measure Description	Incentive	103L Analysis Drop Down Selections				
LED lamp with integral driver, less than 20 watts (PAR/R/MR) and 50% minimum wattage savings per lighting tool measure line required	\$8	per lamp				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LED_Lamps</td> <td style="width: 50%;">LED lamp <20W (PAR/R/MR)</td> </tr> </table>	LED_Lamps	LED lamp <20W (PAR/R/MR)		
LED_Lamps	LED lamp <20W (PAR/R/MR)					
LED lamp with integral driver 20 watts or greater (PAR/R/MR) and 50% minimum wattage savings per lighting tool measure line required	\$13	per lamp				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LED_Lamps</td> <td style="width: 50%;">LED lamp 20W or greater (PAR/R/MR)</td> </tr> </table>	LED_Lamps	LED lamp 20W or greater (PAR/R/MR)		
LED_Lamps	LED lamp 20W or greater (PAR/R/MR)					
LED candelabra or globe, 2 watts or greater and 50% minimum wattage savings per lighting tool measure line required	\$4	per lamp				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LED_Lamps</td> <td style="width: 50%;">LED small screw-base candelabra lamp</td> </tr> <tr> <td>LED_Lamps</td> <td>LED globe screw-in lamp</td> </tr> </table>	LED_Lamps	LED small screw-base candelabra lamp	LED_Lamps	LED globe screw-in lamp
LED_Lamps	LED small screw-base candelabra lamp					
LED_Lamps	LED globe screw-in lamp					
LED A-Lamp and 50% minimum wattage savings per lighting tool measure line required	\$4	per lamp				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LED_Lamps</td> <td style="width: 50%;">LED A-Lamp</td> </tr> </table>	LED_Lamps	LED A-Lamp		
LED_Lamps	LED A-Lamp					
CFL to pin base LED operating with existing ballast or removing ballast and 40% minimum wattage savings per lighting tool measure line required	\$2	per lamp				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LED_Lamps</td> <td style="width: 50%;">CFL to pin base LED</td> </tr> </table>	LED_Lamps	CFL to pin base LED		
LED_Lamps	CFL to pin base LED					

- Specialty/decorative LED lamps ≤ 2 watts are exempt from the QPL requirement and will be reviewed on a case-by-case basis as a custom lighting measure (see Section 1). A minimum warranty of 3 years is required.

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L




Section 3	HID to LED screw-in retrofit lamps <ul style="list-style-type: none"> • Omni-directional, directional, and high-bay screw-in lamps to retrofit existing HID • Lamps using HID ballasts are not eligible for incentives. Ballasts must be removed. 				
<i>Example application: 250-watt metal halide high-bay lamp converted to 100-watt screw-in LED lamp with old ballast removed and connected to line voltage.</i>					
Measure Description	Incentive		103L Analysis Drop Down Selections		
HID to LED Screw-in, 40W or less retrofit lamp with 50% minimum wattage savings per lighting tool measure line required	\$20	per proposed lamp	<table border="1"> <tr> <td>LED_Lamps</td> <td>HID to LED Screw-in, 40W or less</td> </tr> </table>	LED_Lamps	HID to LED Screw-in, 40W or less
LED_Lamps	HID to LED Screw-in, 40W or less				
HID to LED Screw-in, 41W-100W retrofit lamp with 50% minimum wattage savings per lighting tool measure line required	\$40	per proposed lamp	<table border="1"> <tr> <td>LED_Lamps</td> <td>HID to LED Screw-in, 41-100W</td> </tr> </table>	LED_Lamps	HID to LED Screw-in, 41-100W
LED_Lamps	HID to LED Screw-in, 41-100W				
HID to LED Screw-in, 101W-160W retrofit lamp with 50% minimum wattage savings per lighting tool measure line required	\$50	per proposed lamp	<table border="1"> <tr> <td>LED_Lamps</td> <td>HID to LED Screw-in, 101-160W</td> </tr> </table>	LED_Lamps	HID to LED Screw-in, 101-160W
LED_Lamps	HID to LED Screw-in, 101-160W				
HID to LED Screw-in, 161W or greater retrofit lamp with 50% minimum wattage savings per lighting tool measure line required	\$60	per proposed lamp	<table border="1"> <tr> <td>LED_Lamps</td> <td>HID to LED Screw-in, 161W or greater</td> </tr> </table>	LED_Lamps	HID to LED Screw-in, 161W or greater
LED_Lamps	HID to LED Screw-in, 161W or greater				
<ul style="list-style-type: none"> • Omni-directional lamps must be used in omni-directional fixtures such as a post-top globe. Directional lamps must be used in directional fixtures such as shoeboxes, wallpacks and downlights. • Listed wattages are the wattages of the proposed LED lamps. 					

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L




Section 4	TLED Retrofit <ul style="list-style-type: none"> T8 or T5 TLED diameters replacing any existing technology. If replacing fluorescent, existing ballasts must be removed or replaced. 		
<i>Example application: T8 four-lamp recessed troffer to TLED tubes with new dedicated driver.</i>			
Measure Description	Incentive		103L Analysis Drop Down Selections
TLED Replacing any existing technology, removing existing ballast, replacing with new T8 or T5 ballast, line voltage TLED, or dedicated driver TLED, and achieving 40% minimum wattage savings per lighting tool measure line required	\$1.00	per proposed linear foot	TLED 2' TLED lamp
			TLED 3' TLED lamp
			TLED 4' TLED lamp
			TLED 5' TLED lamp
			TLED 6' TLED lamp
			TLED 8' TLED lamp
			TLED U-Bent TLED lamp (4' bent to fit 2')
			<ul style="list-style-type: none"> TLEDs incentives based on proposed lamp quantities TLEDs using existing T8 or T5 ballast, see Section 8 "Relamp" TLEDs using existing or operating T12 ballasts are not eligible for incentives New fixtures or kits using TLEDs are incentivized as TLEDs only TLEDs are not eligible for custom incentives (except for horticulture use). Contact the program for more information.

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



Section 5		Interior LED Fixtures					
<ul style="list-style-type: none"> Retrofit-kits and new fixture options, ballasts & lamp sockets removed 							
<i>Example application: T12 four-lamp recessed troffer to high performance LED retrofit kit.</i>							
Measure Description	Incentive		103L Analysis Drop Down Selections				
Recessed Canister Downlight 30W or less LED kit or new LED fixture replacing existing incandescent or CFL 50% minimum wattage savings per lighting tool measure line required	\$15	per proposed fixture	<table border="1"> <tr> <td>LED_Interior_Fixtures</td> <td>LED Recessed Canister Downlight</td> </tr> </table>	LED_Interior_Fixtures	LED Recessed Canister Downlight		
LED_Interior_Fixtures	LED Recessed Canister Downlight						
LED fixture or kit, 25W or less 60% minimum wattage savings per lighting tool measure line required	\$30	per proposed fixture	<table border="1"> <tr> <td>LED_Interior_Fixtures</td> <td>LED fixture or kit, 25W or less</td> </tr> </table>	LED_Interior_Fixtures	LED fixture or kit, 25W or less		
LED_Interior_Fixtures	LED fixture or kit, 25W or less						
LED fixture or kit, 26-57W 60% minimum wattage savings per lighting tool measure line required	\$45	per proposed fixture	<table border="1"> <tr> <td>LED_Interior_Fixtures</td> <td>LED fixture or kit, 26-39W</td> </tr> <tr> <td>LED_Interior_Fixtures</td> <td>LED fixture or kit, 40-57W</td> </tr> </table>	LED_Interior_Fixtures	LED fixture or kit, 26-39W	LED_Interior_Fixtures	LED fixture or kit, 40-57W
LED_Interior_Fixtures	LED fixture or kit, 26-39W						
LED_Interior_Fixtures	LED fixture or kit, 40-57W						
LED fixture or kit, 58-100W 60% minimum wattage savings per lighting tool measure line required	\$55	per proposed fixture	<table border="1"> <tr> <td>LED_Interior_Fixtures</td> <td>LED fixture or kit, 58-100W</td> </tr> </table>	LED_Interior_Fixtures	LED fixture or kit, 58-100W		
LED_Interior_Fixtures	LED fixture or kit, 58-100W						
<ul style="list-style-type: none"> Existing single-lamp fluorescent fixture applications must use custom incentive calculation as described in Section 1 							

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L




////////////////////////////////////

Section 6		High-Bay / Low-Bay fixtures and non-screw-in retrofit kits	
<i>Example application: Replace 400W MH high-bay fixture with a 150W LED high-bay fixture</i>			
Measure Description	Incentive		103L Analysis Drop Down Selections
LED High-Bay or Low-Bay, 40-90W 40% minimum wattage savings per lighting tool measure line required	\$100	per proposed fixture	LED_High_Bay LED High-Bay or Low-Bay, 40-90W
LED High-Bay or Low-Bay, 91-140W 40% minimum wattage savings per lighting tool measure line required	\$155	per proposed fixture	LED_High_Bay LED High-Bay or Low-Bay, 91-140W
LED High-Bay or Low-Bay, 141-299W 40% minimum wattage savings per lighting tool measure line required	\$170	per proposed fixture	LED_High_Bay LED High-Bay or Low-Bay, 141-299W
LED High-Bay or Low-Bay, 300W or greater 40% minimum wattage savings per lighting tool measure line required	\$235	per proposed fixture	LED_High_Bay LED High-Bay or Low-Bay, 300W or greater
<ul style="list-style-type: none"> Proposed fixtures must be QPL listed in the High-Bay category See Section 3 for HID to LED screw-in retrofit lamp incentives For new High-Bay or Low-Bay fixtures using TLED lamps, please see appropriate TLED section 			

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L




Section 7	Exterior Pole/Arm-mounted Area Luminaires, Exterior Wall-mounted Area Luminaires, Parking Garage Luminaires, Fuel Pump Canopy, Exterior Downlights, and Architectural Flood/Spot Lighting <ul style="list-style-type: none"> • Non screw-in only 				
<i>Example application: Replace 70 watt HID wall pack with 30 watt LED wall pack</i>					
Measure Description	Incentive		103L Analysis Drop Down Selections		
Exterior Recessed Canister Downlight 30W or less LED kit or new LED fixture replacing existing incandescent or CFL 50% minimum wattage savings per lighting tool measure line required	\$15	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">LED Recessed Canister Downlight</td> </tr> </table>	LED_Exterior_Fixtures	LED Recessed Canister Downlight
LED_Exterior_Fixtures	LED Recessed Canister Downlight				
Exterior LED fixture, 20W or less 50% minimum wattage savings per lighting tool measure line required	\$40	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 20W or less</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 20W or less
LED_Exterior_Fixtures	Exterior LED fixture, 20W or less				
Exterior LED fixture, 21-40W 50% minimum wattage savings per lighting tool measure line required	\$60	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 21-40W</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 21-40W
LED_Exterior_Fixtures	Exterior LED fixture, 21-40W				
Exterior LED fixture, 41-90W 50% minimum wattage savings per lighting tool measure line required	\$120	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 41-90W</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 41-90W
LED_Exterior_Fixtures	Exterior LED fixture, 41-90W				
Exterior LED fixture, 91-140W 50% minimum wattage savings per lighting tool measure line required	\$180	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 91-140W</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 91-140W
LED_Exterior_Fixtures	Exterior LED fixture, 91-140W				
Exterior LED fixture, 141-299W 50% minimum wattage savings per lighting tool measure line required	\$220	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 141-299W</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 141-299W
LED_Exterior_Fixtures	Exterior LED fixture, 141-299W				
Exterior LED fixture, 300W or greater 50% minimum wattage savings per lighting tool measure line required	\$335	per proposed fixture	<table border="1" style="width: 100%;"> <tr> <td style="background-color: #ffffcc;">LED_Exterior_Fixtures</td> <td style="background-color: #ffffcc;">Exterior LED fixture, 300W or greater</td> </tr> </table>	LED_Exterior_Fixtures	Exterior LED fixture, 300W or greater
LED_Exterior_Fixtures	Exterior LED fixture, 300W or greater				
<ul style="list-style-type: none"> • For public street/roadway lighting incentives, see PI 190SL-Street Light Addendum. 					

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



Section 8	Relamp Only: Existing Linear Fluorescent Fixture <ul style="list-style-type: none"> No ballast change out required 		
<i>Example application: 32-watt T8 lamps replaced by 15 watt TLEDs. No ballast change out required.</i>			
Measure Description	Incentive		103L Analysis Drop Down Selections
TLED (relamp) T8 or T5 diameter TLED replacing existing fluorescent, operating on existing ballast, and achieving 40% minimum wattage savings per lighting tool measure line required	\$0.50	per proposed linear foot	Relamp 2' TLED lamp using existing fluorescent ballast
			Relamp 3' TLED lamp using existing fluorescent ballast
			Relamp 4' TLED lamp using existing fluorescent ballast
			Relamp 5' TLED lamp using existing fluorescent ballast
			Relamp 6' TLED lamp using existing fluorescent ballast
			Relamp 8' TLED lamp using existing fluorescent ballast
			Relamp U-Bent TLED (lamp 4' to fit 2') using existing fluorescent ballast
<ul style="list-style-type: none"> TLEDs using existing or operating on T12 ballasts are not eligible for incentives TLEDs are not eligible for custom incentives (except for horticulture use). Contact the program for more information. 			

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



////////////////////////////////////

Section 9		Lighting Controls	
<ul style="list-style-type: none"> Controlling loads of 30W or more 			
<i>Example application: Integral warehouse aisle occupancy sensor mounted on T5, LED, or T8 High Bay fixture</i>			
Measure Description	Incentive		103L Controls Tabs Drop Down Selections
Custom control or system. Control devices on connected load less than 30W, or other control or system not detailed below (multi-input control system, advanced controls, LLLC, networked lighting controls)	See custom - Section 1		Custom control or system
Vacancy Sensor (manual on), Wall Switch. (interior) 30W or greater (auto-on version is not eligible for incentives)	\$35	per sensor	Vacancy Sensor (manual on), wall switch, 30W or greater
Occupancy Sensor, fixture mount (interior) Control loads, 30W or greater	\$50	per sensor	Occupancy Sensor, fixture mount, 30W or greater
Occupancy Sensor, ceiling/corner/ surface mount (interior) (hard-wired or wireless), control loads 100W or greater	\$70	per sensor	Occupancy Sensor, ceiling/corner/surface mount, 100W or greater
Exterior Occupancy Sensor, fixture or pole mounted (wired or wireless), must control loads 40W and greater and reduce proposed fixture wattage by at least 50% in unoccupied mode using dimming, step, bi-level, or on/off functionality.	\$40	per sensor	Exterior occupancy sensor, fixture or pole mounted, 40W or greater

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



Section 10	LED Cooler/Freezer Lighting		
	<ul style="list-style-type: none"> LED fixtures must be listed as case lighting, on the DLC product list 		
LED Display Case Lighting	Measure Description	Incentive	
Motion Sensor, on Low Power LED	<ul style="list-style-type: none"> On LED cases, side bar (single) Reach-in or open display cases¹ 	\$2	per linear ft of fixture
Motion Sensor, on High Power LED	<ul style="list-style-type: none"> On LED cases, mullion bar (double) Reach-in or open display cases¹ 	\$3	per linear ft of fixture
Single Row T8 Low Power LED (Medium Temp Case)	<ul style="list-style-type: none"> Replace T8 with LED side bar (single) Inside reach-in or open display cases² 	\$10	per linear ft of fixture
Single Row T12 Low Power LED (Medium Temp Case)	<ul style="list-style-type: none"> Replace T12 with LED side bar (single) Inside reach-in or open display cases² 	\$10	per linear ft of fixture
Double Row T8 High Power LED (Medium Temp Case)	<ul style="list-style-type: none"> Replace T8 with LED mullion (double) Inside reach-in or open display cases² 	\$20	per linear ft of fixture
Double Row T12 High Power LED (Medium Temp Case)	<ul style="list-style-type: none"> Replace T12 with LED mullion (double) Inside reach-in or open display cases² 	\$20	per linear ft of fixture
Single Row T12 Low Power LED (Medium Temp Case or Low Temp Case)	<ul style="list-style-type: none"> Replace T12 with LED side bar (single) On the canopy or lip of open display cases² 	\$10	per linear ft of fixture
Double Row T8 High Power LED (Medium Temp Case or Low Temp Case)	<ul style="list-style-type: none"> Replace T8 with LED mullion (double) On the canopy or lip of open display cases² 	\$20	per linear ft of fixture
Double Row T12 High Power LED (Medium Temp Case or Low Temp Case)	<ul style="list-style-type: none"> Replace T12 with LED mullion (double) On the canopy or lip of open display cases² 	\$20	per linear ft of fixture
Single Row T8 Low Power LED (Low Temp Case)	<ul style="list-style-type: none"> Replace T8 with LED side bar (single) Inside reach-in or open display cases² 	\$10	per linear ft of fixture
Single Row T12 Low Power LED (Low Temp Case)	<ul style="list-style-type: none"> Replace T12 with LED side bar (single) Inside reach-in or open display cases² 	\$10	per linear ft of fixture

Commercial & Industrial Lighting Incentives

Existing Buildings, Production Efficiency
and Multifamily Buildings

Program Information | 190L



////////////////////////////////////

LED Display Case Lighting	Measure Description	Incentive	
Double Row T8 High Power LED (Low Temp Case)	<ul style="list-style-type: none"> • Replace T8 with LED mullion (double) • Inside reach-in or open display cases² 	\$20	per linear ft of fixture
Double Row T12 High Power LED (Low Temp Case)	<ul style="list-style-type: none"> • Replace T12 with LED mullion (double) • Inside reach-in or open display cases² 	\$20	per linear ft of fixture

¹ Motion Sensors – LED Case Lighting Requirements:

- Incentives are based on linear feet of LED fixture controlled by the motion sensor
- Install a motion sensor controlling permanently installed LED lighting in refrigerated reach-in case(s)
- Incentive and energy savings values vary based on the controlled LED luminaire power (low or high):
 - Low power luminaire is defined as one that uses <= 4.5W/ft of fixture (single)
 - High power luminaire is defined as one using > 4.5W to < 8.5W/ft of fixture (double)

² LED Case Lighting Requirements:

- Incentives paid are based on linear feet of installed LED fixture.
- Only LED fixtures on the Design Lights Consortium product list for case lighting, under indoor luminaires, are eligible.